



久 菘 科 技 股 份 有 限 公 司
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.

TEL:+886-3-5687918

FAX:+886-3-5686953

E-mail: service@ep.com.tw

<http://www.ep.com.tw>

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802. 16e Directional Grid Antenna**

Part Number: **1CO-33826**

Date: **2008-05-12**

Customer Evaluation:

PASS

NG

Approved Date:

Evertime Communication Approved By : _____ Date:

Evertime Communication Prepared By : _____ Date:

Directional Grid Antenna

for 3.4~3.6GHz

Version 1

1CO-33826

Electrical Specification:

Frequency	3.4~3.6GHz
Part Number	1CO-3526
Polarization	Linear
V.S.W.R.	1 : 1.5 Max
Impedance	50 OHMS $\pm 5 \Omega$
Gain	26 dBi
Power handling	15W Max
Front to back ratio	35dB
HPBW / horizontal	10°
HPBW / vertical	8°
Rated Wind	3.0 lbs. (1.4 kg)
Operating Temperature	-20°C~60°C

MECHANICAL SPECIFICATION

Connector Type	N Type Female
Length	900mm
Weight	4.9Kg
Radome color	white
Radome material	ABS

Directional Grid Antenna

for 3.4~3.6GHz

Version 1


1CO-33826

S11 FORWARD REFLECTION

LOG MAGNITUDE

REF=0.000 dB

10.000 dB/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 4
3.000000000 GHz
-6.649 dB

MARKER TO MAX
MARKER TO MIN

- 1 3.500000000 GHz
-25.397 dB
- 2 3.400000000 GHz
-15.720 dB
- 3 3.600000000 GHz
-15.112 dB


MARKER READOUT
FUNCTIONS

S11 FORWARD REFLECTION

SWR

REF=0.000 pU

10.000 U/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 4
3.000000000 GHz
2.778 U

MARKER TO MAX
MARKER TO MIN

- 1 3.500000000 GHz
1.137 U
- 2 3.400000000 GHz
1.411 U
- 3 3.600000000 GHz
1.415 U

MARKER READOUT
FUNCTIONS


Directional Grid Antenna

for 3.4~3.6GHz

Version 1

1CO-33826

H-PLANE FIELD PATTERNS




Directional Grid Antenna

for 3.4~3.6GHz

Version 1

1CO-33826

E-PLANE FIELD PATTERNS



Directional Grid Antenna

for 3.4~3.6GHz

Version 1

1CO-33826

