



久 菘 科 技 股 份 有 限 公 司
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.

TEL:+886-3-5687918

FAX:+886-3-5686953

E-mail:service@ep.com.tw

<http://www.ep.com.tw>

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802.11b/g Omni Directional Antenna**

Part Number: **1GP-2409-3**

Date: **2008-09-30**

Customer Evaluation:

PASS

NG

Approved Date:

Evertime Communication Approved By : _____ Date:

Evertime Communication Prepared By : _____ Date:

Evertime Communications Co., Ltd.

Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

Electrical Specification:

Frequency	2.4~2.5GHz
Part Number	1GP-2409-3
Polarization	Linear
V.S.W.R.	1 : 1.3 Max
Impedance	50 OHMS $\pm 5\Omega$
Gain	9 dBi
Power handling	15W Max
Front to back ratio	N/A
HPBW / horizontal	360°
HPBW / vertical	10°
Rated Wind	3.0 lbs. (1.4 kg)
Operating Temperature	-20°C~60°C

MECHANICAL SPECIFICATION

Connector Type	N Type male
Length	$\varphi 35 \times 400\text{mm}$
Weight	175g
Radome color	white
Radome material	glass fiber

Omni Directional Antenna


for 2.4~2.5GHz

Version 1

1GP-2409-3

S11 FORWARD REFLECTION

LOG MAGNITUDE REF=0.000 dB 10.000 dB/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 1
2.450000000 GHz
-24.549 dB

MARKER TO MAX
MARKER TO MIN


2 2.400000000 GHz
-20.609 dB

3 2.500000000 GHz
-20.380 dB

MARKER READOUT
FUNCTIONS

S11 FORWARD REFLECTION

SWR REF=1.000 U 10.000 U/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 1
2.450000000 GHz
1.128 U

MARKER TO MAX
MARKER TO MIN

2 2.400000000 GHz
1.231 U

3 2.500000000 GHz
1.236 U

MARKER READOUT
FUNCTIONS


Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

H-PLANE FIELD PATTERNS




Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

E-PLANE FIELD PATTERNS



Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

